


Recyquip

Global Waste Disposal System Supplier



WASTE METAL BALER

PRODUCT APPLICATION



Steel Coil



Steel Wires



Aluminum Scrap



Oil Filters



Car Body



UBC Cans

1 Blades



2 Machine Structure

3 Door Lock System

A Hydraulic System

B Air Conditioner Cooling System


C Electrical Control System



Hydraulic System



Air Conditioner Cooling System



Electrical Control System



01

MACHINE BODY

- Machines manufactured using standard international grade steel plate
- Components are cut and prepared on plasma & laser CNC machines to ensure quality & consistency
- All parts are CO2 welded
- All welding is checked throughout the manufacturing process to ensure the quality of welding



02

PRESSING CYLINDER

- Cylinders manufactured using standard international grade seamless pipes
- Piston rods are hard chrome plated for durability & extended life span
- Top International brand seals are used in the manufacturing process



03

PRESSING LID



- Provides unequalled compacting efficiency
- Ideal for processing bulky as well as heterogeneous material
- Top loading baling chamber makes the loading of material simple and efficient



04

ELECTRICAL CONTROL SYSTEM


- Touch screen control, simple to use
- Schneider or Siemens PLC controls
- Meets IC standards



Model	RMB-L1270-125T	R MB-L1480-160T
Press Force	125 T	160 T
Press Chamber	1200×700×600 mm	1400×800×700 mm
Motor Power	15 kw	22 kw
Pump	63 ml/r	160 ml/r
Bale Size	300x300 mm	350x350 mm
Capacity (Steel)	1.0-1.5 tons per hour	2.0-2.5 tons per hour

Model	RMB-L1812-200T	R MB-L2014-250T
Press Force	200 T	250 T
Press Chamber	1800×1200×800 mm	2000×1400×900 mm
Motor Power	2x22 kw	2x22 kw
Pump	2x160 ml/r	2×160 ml/r
Bale Size	400x400 mm	500×500 mm
Capacity (Steel)	3.0-3.5 tons per hour	5.0 tons per hour

Model	RMB-L1812-200T	R MB-L2014-250T
Press Force	250 T	315 T
Press Chamber	2500×2000×1200 mm	2500×2000x1200 mm
Motor Power	2×30 kw	2×45 kw
Pump	2x160 ml/r	2x250 ml/r
Bale Size	500×500 mm	600×600 mm
Capacity (Steel)	6.0-8.0 tons per hour	8.0-10.0 tons per hour



Recyquip


Unit 13, Unifront Industrial Park, Cnr. Dekema & Black Reef Road Wadeville, Gauteng, South Africa

41/314 Burleigh Connection Road, Burleigh Heads, 4220, Queensland, Australia

info@recyquip.co.za
www.recyquip.co.za

Recyquip

Global Waste Disposal System Supplier



Recyquip

Unit 13, Unifront Industrial Park, Cnr. Dekema & Black Reef Road
Wadeville, Gauteng, South Africa

41/314 Burleigh Connection Road, Burleigh Heads, 4220,
Queensland, Australia

info@recyquip.co.za
www.recyquip.co.za